

February 24, 2018

Pascual "Junior" Caluya
City of Stockton
1465 S Lincoln St
Stockton, CA 95206

RE: Leotek EC LED Street Lights

Dear Mr. Caluya;

Thank you for meeting last week with me, Patrick Robitaille (Associated Lighting Representatives) and Ruben Rivera (Jam Services). As discussed, Leotek has experienced higher than normal failures on its "EC" family of LED street lights, shipped between January 2013 and May 2017. According to ALR's records, Leotek shipped the City of Stockton three orders (all believed to be supplied by Jam Services):

8/2014	Jam P.O. # 185493	Qty 3080
5/2015	Jam P.O. # 406311	Qty 2108
7/2016	Jam P.O. # 448781	Qty 5300

The failures occur when there is an excessive concentration of dirt accumulation directly above an LED "die", resulting in heat build-up and subsequent melting of the optic. The failure can be identified by a noticeable orange/yellow warm white appearance when lit (as compared to the cooler white 4000K appearance).

We ask that you conduct a sample review of your street lights to identify what percentage may have failed. Be assured all failures are covered by Leotek's warranty (<https://leotek.com/wp-content/uploads/qi-product-standard-warranty.pdf>), and Leotek will work closely with you to address any problems.

Please contact Ruben or Patrick to set up a follow up meeting, or contact me directly. I have also assigned this RMA to our RMA administrator*.

Thor Scordelis
General Manager, Leotek
Thor.scordelis@leotek.com
(408) 398 1447


*Hy (pronounced "hee") Nguyen, (408) 380-1788 (office), (408) 609-1928 (cell),
Hy.Nguyen@leotek.com



87

KOTAK







January 25, 2019

Jodi Almassy
 City of Stockton
 1465 S Lincoln St
 Stockton, CA 95206

cc: Patrick Robitaille (ALR)
 Ruben Rivera (Jam Services)

RE: City of Stockton LED Street Lighting Project RMA

Dear Ms. Almassy;

The purpose of this letter is to follow up on both our February 24, 2018 letter to Pascual Caluya, and our meeting in December. As we discussed in December, we reviewed our project files to determine if there were any unique warranty related items in the contract, and there were none. However, we remain committed to a "win-win" solution that goes well beyond our warranty obligation, and present the following for the city's consideration:

Warranty Obligation Scenario

This scenario reflects Leotek's warranty (which is industry-standard) and legal obligation; the city removes the failed luminaires and sends back to Leotek at their expense. Leotek repairs the luminaire (replacing the LED engine) and sends back to the city for the city to re-install at their expense.

(<https://leotek.com/wp-content/uploads/Leotek-General-Illumination-Products-Warranty-11-02-18.pdf>).

While the LED engine would be of a new mechanical and optical design, the power consumption would remain unchanged, as would all other materials such as the power supply, surge protection device, housing etc. The original warranty expiration date would remain unchanged.

Existing (will confirm models and quantities)	Total Qty	Wattage (W)	Flux (lm)	Operating Cost Per Unit, Per Month (based on PG&E LS2 rate schedule)	Annual Operating Cost Total	Total Operating Cost 10 Years	10 Year Total Energy Savings	Warranty End (10 yr. from original ship date)
EC1-6M-MV-NW-2-GY-700	5604	54	5000	\$ 2.980	\$ 200,399	\$ 2,003,990	\$ -	2024/2026
EC3-10M-MV-NW-2-GY-530-WL	1541	63	6500	\$ 3.563	\$ 65,887	\$ 658,870	\$ -	2024/2026
EC3-10M-MV-NW-2-GY-700-WL	4108	87	8300	\$ 4.978	\$ 245,395	\$ 2,453,955	\$ -	2024/2026
EC3-10M-MV-NW-3CT-GY-700-WL	561	95	8300	\$ 5.261	\$ 35,417	\$ 354,171	\$ -	2024/2026
EC3-10M-MV-NW-3-GY-700-WL	123	95	8300	\$ 5.261	\$ 7,765	\$ 77,652	\$ -	2024/2026
EC3-12M2-HV-NW-2-GY-700-WL	14	107	11250	\$ 6.110	\$ 1,026	\$ 10,265	\$ -	2024/2026
EC3-12M2-MV-NW-2-GY-700-WL	20	107	11250	\$ 6.110	\$ 1,466	\$ 14,664	\$ -	2024/2026
EC3-12M-HV-NW-2-GY-700-WL	20	103	9642	\$ 5.827	\$ 1,398	\$ 13,985	\$ -	2024/2026
EC3-12M-MV-NW-2-GY-700-WL	35	103	9642	\$ 5.827	\$ 2,447	\$ 24,473	\$ -	2024/2026
EC3-12M-MV-NW-3CT-GY-700-WL	442	103	9642	\$ 5.827	\$ 30,906	\$ 309,064	\$ -	2024/2026
EC3-12M-MV-NW-3-GY-700-WL	37	103	9642	\$ 5.827	\$ 2,587	\$ 25,872	\$ -	2024/2026
EC3 12M HV NW 3CT GY 700 WL	3	103	9642	\$ 5.827	\$ 210	\$ 2,098	\$ -	2024/2026
EC7 18M MV NW 3 GY 700 PCR7 WL	2	163	14800	\$ 9.240	\$ 222	\$ 2,218	\$ -	2024/2026
EC1 4M MV NW 2 GY 700	1	35	3300	\$ 1.848	\$ 22	\$ 222	\$ -	2024/2026
Total	12676				\$ 612,919	\$ 6,129,186	\$ -	

Proposed

Rather than repair the LED engine, Leotek would replace the *entire* luminaire (including those that have not failed) with a new, current generation “Green Cobra” (GC) luminaire. The GC luminaire family is Leotek’s most popular and has been in production with the same basic design for nearly 10 years. The GC uses a completely different optical and LED design that is superior to the EC, and importantly is approximately 25% more energy efficient (lumens/watt) than the EC LED engines in the above scenario.

Proposed (Preliminary)	Total	Wattage	Flux	Operating Cost Per Unit Per Month (based on PG&E LS2 rate schedule)	Annual Operating Cost Total	Total Operating Cost 10 Years	10 Year Total Energy Savings	Warranty End (10 year from ship date)
GCJ1 20H MV NW 2 GY 580 PCR7 WL	5604	39	4850	\$ 2.130	\$ 143,238	\$ 1,432,382	\$ 571,608	2029
GCM2 30H MV NW 2 GY 530 PCR7 WL	1541	48	6330	\$ 2.697	\$ 49,873	\$ 498,729	\$ 160,141	2029
GCM2 30H MV NW 2 GY 700 PCR7 WL	4108	68	8550	\$ 3.846	\$ 189,592	\$ 1,895,924	\$ 558,031	2029
GCM2 30H MV NW 3?? GY 700 PCR7 WL	561	68	8550	\$ 3.846	\$ 25,891	\$ 258,913	\$ 95,258	2029
GCM2 30H MV NW 3 GY 700 PCR7 WL	123	68	8550	\$ 3.846	\$ 5,677	\$ 56,767	\$ 20,885	2029
GCM2 40H HV NW 2 GY 700 PCR7 WL	14	88	11260	\$ 4.978	\$ 836	\$ 8,363	\$ 1,902	2029
GCM2 40H MV NW 2 GY 700 PCR7 WL	20	88	11260	\$ 4.978	\$ 1,195	\$ 11,947	\$ 2,717	2029
GCM2 30H HV NW 2 GY 850 PCR7 WL	20	82	9830	\$ 4.695	\$ 1,127	\$ 11,268	\$ 2,717	2029
GCM2 30H MV NW 2 GY 850 PCR7 WL	35	82	9830	\$ 4.695	\$ 1,972	\$ 19,719	\$ 4,754	2029
GCM2 30H MV NW 3 GY 850 PCR7 WL	442	82	9830	\$ 4.695	\$ 24,902	\$ 249,023	\$ 60,041	2029
GCM2 30H MV NW 3 GY 850 PCR7 WL	37	82	9830	\$ 4.695	\$ 2,085	\$ 20,846	\$ 5,026	2029
GCM2 30H MV NW 3 GY 850 PCR7 WL	3	82	9,830	\$ 4.695	\$ 169	\$ 1,690	\$ 408	2029
GCM2 40 H MV NW 3 GY 1A PCR7 WL	2	135	15,430	\$ 7.542	\$ 181	\$ 1,810	\$ 408	2029
GCJ0 15H MV NW 2 GY 590 PCR7 WL	1	30	3,410	\$ 1.565	\$ 19	\$ 188	\$ 34	2029
					\$ 461,307	\$ 4,613,067	\$ 1,516,119	

Based on the reduced power consumption, energy savings using the current “H” series is estimated at over \$1,516,119 (\$6,129,186-\$4,613,067) for a 10 year period as compared to the earlier “Warranty Obligation Scenario”.

In addition to the substantial energy savings, if the above approach is acceptable, we can outfit the fixtures with a 7-pin ANSI/NEMA photocell receptacle that allows the city to attach “smart” control nodes if desired. Finally, since the date of your original installations, the market has shifted towards reduced (warmer) color temperatures. If interested, we can supply 3000 Kelvin (K) fixtures as compared to your current 4000K. As LED street lighting has improved significantly since your original installation, the benefits to the city with this “early replacement” approach (a common utility term) would be further reduced energy consumption, and a more contemporary solution typical of what cities are now installing. In our opinion the combination of energy savings, and the value provided by an extended warranty, 7-pin receptacle, 3000K, superior optics, and a new fixture designed to last 15+ years more than off-sets the labor costs.

During our conversation you indicated that the city did not have the resources for labor. As labor is not covered in our warranty, an option we propose is to use the services of an “ESCO” (energy services company). ESCO’s are commonly used in energy saving related projects because they are a one-stop shop who can specify, manage, install and finance a project based on the energy savings. In the example above, the energy savings of \$1.5M would off-set the labor costs and once covered (estimated at 10 years, which is also the warranty period), the additional annual savings of \$150,612 would accrue to the city.

Leotek has worked closely with Tanko Lighting (San Francisco based), Ameresco, Siemens and they all are qualified to conduct the work. Related, the city may want to entertain a separate project with an



Leotek Electronics USA LLC.
1955 Lundy Ave., San Jose, CA 95131
P: 408.380.1788 | F: 408.518.8128
www.leotek.com

ESCO to replace your remaining conventional 100W HPS fixtures in your residential areas, and finance those over the course of 10 years as well to avoid any upfront costs.

Please review the above with your team and let's regroup to discuss the details of the above proposal to see how it meets your requirements.

Sincerely;
Thor Scordelis
General Manager
Leotek Electronics USA LLC
Thor.scordelis@leotek.com
(408) 398 1447

From: [James Wong](#)
To: [Thor Scordelis](#)
Subject: RE: Leotek EC Luminaire Replacement- City of Stockton
Date: Monday, June 10, 2019 1:43:11 PM

Hello Thor – As a follow up to our conversation last Thursday, before Leotek starts shipping fixtures en masse, we like to receive a few to install and evaluate. Can you arrange to provide the following to the City? Thank you, and please let me know if you have any questions.

G CJ1-20H-MV-NW-2R-GY-580-PCR7-WL-BBL, 39 watt, 4000K, **2 fixtures**

G CM2-30H-MV-NW-2S-GY-530-PCR7-WL-BBL , 48 watts, 4000k, **2 fixtures**

G CM2-30H-MV-NW-2S-GY-700-PCR7-WL-BBL , 68 watts, 4000k, **6 fixtures**

James Wong
City of Stockton Public Works Dept.
1465 S. Lincoln Street
Stockton, CA 95206
Phone: 209 . 937 . 8110
Fax: 209 . 937 . 7115
www.stocktongov.com

From: Thor Scordelis <Thor.Scordelis@leotek.com>

Sent: Friday, March 8, 2019 8:31 AM

To: James Wong <James.Wong@stocktonca.gov>

Subject: Leotek EC Luminaire Replacement- City of Stockton

Hello James; good talking with you yesterday. Sorry for the bad connection- I am in Mexico City this week, returning tonight. As I am sure that you have logistical questions beyond the field-scrap issue, I suggest a conference call with me, my RMA Administrator, and then also Patrick Robitaille. Patrick works for our local agent ALR and has a much better understanding of the city's requirements than I do.

Is your schedule open on Monday at 4pm?

Thor Scordelis

General Manager

Thor.scordelis@leotek.com

408-398-1447

Skype thor.scordelis


WhatsApp 408-398-1447

Leotek USA

1955 Lundy Ave.

San Jose, CA 95131

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.



PUBLIC WORKS DEPARTMENT
MUNICIPAL SERVICE CENTER • 1465 South Lincoln Street • Stockton, CA 95206-1941
www.stocktonca.gov

September 12, 2019

Mr. Thor Scordelis
General Manager, Leotek
Leotek Electronics USA LLC.
1955 Lundy Ave.
San Jose, CA 95131

Dear Mr. Scordelis:

This letter serves to memorialize our understanding of the disposal or recycling of existing LED luminaires (EC3-10M-MV-NW-2-GY-700-WL-BBL).

Leotek requests the recordation of the serial number for all replaced luminaires. Leotek will loan the City at least four calibrated and operational barcode scanners, batteries, chargers, software, and any other peripherals required for proper scanner operation. City shall not be responsible for damage or loss of scanner or peripherals. City's contractor will use the scanner to record each luminaire barcode and recycle or dispose of the luminaire at a facility chosen by the City's contractor. City will furnish Leotek with the recorded serial numbers and the City's Construction / Demolition Recycling Report.

City does not guarantee the accuracy of the recorded information, and luminaires with missing or defaced barcodes will not be scanned, tracked, or inventoried.

Please sign and return this letter indicating that you agree to the terms stated above by September 13, 2019. If you have further questions or concerns, you may reach me at (209) 937-8110, or James.Wong@stocktonca.gov.

Thank you,


JAMES WONG
Engineering Services Manager


Thor Scordelis
Date 9/17/19

JW:cp

From: [Thor Scordelis](#)
To: [James Wong](#)
Cc: [Jodi Almassy](#); [Pascual Caluya](#); [Omar Al-Hindi](#); [Thinh Phan](#)
Subject: RE: Leotek LED Street Light
Date: Sunday, September 15, 2019 5:35:02 PM

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Thanks. Let me review.

Thor Scordelis

General Manager

Thor.scordelis@leotek.com

408-398-1447

Skype thor.scordelis

WhatsApp 408-398-1447

Leotek USA

1955 Lundy Ave.

San Jose, CA 95131

From: James Wong [mailto:James.Wong@stocktonca.gov]

Sent: Thursday, September 12, 2019 12:35 PM

To: Thor Scordelis <Thor.Scordelis@leotek.com>

Cc: Jodi Almassy <Jodi.Amassy@stocktonca.gov>; Pascual Caluya <Pascual.Caluya@stocktonca.gov>; Omar Al-Hindi <Omar.Al-Hindi@stocktonca.gov>; Thinh Phan <Thinh.Phan@stocktonca.gov>

Subject: RE: Leotek LED Street Light

Hello Thor – We have been coordinating with your RMA administrator. Regarding the disposal/recycling of the existing luminaires, please find the attached letter that memorializes our understanding. A copy has also been mailed.

As information, the City's "Construction / Demolition Recycling Report" form that the contractor completes can be found at the following link:

www.stocktongov.com/files/C&D%20Recycling%20Report.pdf

Please contact me should you have any questions. Thank you.

James Wong

City of Stockton Public Works Dept.

1465 S. Lincoln Street

Stockton, CA 95206

Phone: 209 . 937 . 8110

Fax: 209 . 937 . 7115

www.stocktongov.com

From: Thor Scordelis <Thor.Scordelis@leotek.com>

Sent: Monday, August 19, 2019 2:04 PM

To: James Wong <James.Wong@stocktonca.gov>

Cc: Jodi Almassy <Jodi.Amassy@stocktonca.gov>; Pascual Caluya <Pascual.Caluya@stocktonca.gov>; Omar Al-Hindi <Omar.Al-Hindi@stocktonca.gov>; Thinh Phan <Thinh.Phan@stocktonca.gov>

Subject: RE: Leotek LED Street Light

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hello James. Good to hear from you. Let me get up to speed with Hy, our RMA administrator. Hold

tight.

Thor Scordelis

General Manager

Thor.scordelis@leotek.com

408-398-1447

Skype thor.scordelis

WhatsApp 408-398-1447

Leotek USA

1955 Lundy Ave.

San Jose, CA 95131

From: James Wong [<mailto:James.Wong@stocktonca.gov>]

Sent: Friday, August 16, 2019 3:46 PM

To: Thor Scordelis <Thor.Scordelis@leotek.com>

Cc: Jodi Almassy <Jodi.Almassy@stocktonca.gov>; Pascual Caluya <Pascual.Caluya@stocktonca.gov>;

Omar Al-Hindi <Omar.Al-Hindi@stocktonca.gov>; Thinh Phan <Thinh.Phan@stocktonca.gov>

Subject: Re: Leotek LED Street Light

Hello Thor - The City would like to proceed with the replacement of intersection and arterial Leotek luminaires at this time.

Please make arrangements to provide the City with 4096 luminaires, model GCM2-40H-MV-NW-3R-GY-850-PCR7-WL-BBL (107watt). We understand the luminaires, shipped to the City Corporation Yard, will be at no cost to the City. Please confirm the required lead time for delivery so we may accommodate the shipment.

Please note that notwithstanding any communications or statements to the contrary, the City's order or acceptance of the luminaires, or Leotek's delivery of such luminaires, whether under Leotek's warranty obligations or otherwise, is not a waiver or release of any of the City's rights, or Leotek's obligations, for any damages, claims, liabilities, fees or costs related to the luminaires including, without limitation, labor and other costs related to installation of the luminaires (collectively "Claims"). The City reserves its rights to pursue and recover on such Claims notwithstanding the City's order and acceptance of the luminaires and Leotek's delivery of same.

Please contact me should you have any questions. Thank you Thor.

James Wong

City of Stockton Public Works Dept.

1465 S. Lincoln Street

Stockton, CA 95206

Phone: 209 . 937 . 8110

Fax: 209 . 937 . 7115

www.stocktongov.com

From: Thor Scordelis <Thor.Scordelis@leotek.com>

Sent: Tuesday, July 30, 2019 6:49 PM

To: James Wong <James.Wong@stocktonca.gov>

Subject: RE: Leotek LED Street Light

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Also, work directly with Hy on the fixtures.

Thor Scordelis

General Manager

Thor.scordelis@leotek.com

408-398-1447

Skype thor.scordelis

WhatsApp 408-398-1447

Leotek USA

1955 Lundy Ave.

San Jose, CA 95131

From: Thor Scordelis

Sent: Tuesday, July 30, 2019 6:44 PM

To: James Wong <James.Wong@stocktonca.gov>

Cc: Thinh Phan <Thinh.Phan@stocktonca.gov>; Omar Al-Hindi <Omar.Al-Hindi@stocktonca.gov>; Pascual Caluya <Pascual.Caluya@stocktonca.gov>

Subject: RE: Leotek LED Street Light

Thank you. I will share some days/times with you. Hold tight.

Thor Scordelis

General Manager

Thor.scordelis@leotek.com

408-398-1447

Skype thor.scordelis

WhatsApp 408-398-1447

Leotek USA

1955 Lundy Ave.

San Jose, CA 95131

From: James Wong [<mailto:James.Wong@stocktonca.gov>]

Sent: Tuesday, July 30, 2019 6:14 PM

To: Thor Scordelis <Thor.Scordelis@leotek.com>

Cc: Thinh Phan <Thinh.Phan@stocktonca.gov>; Omar Al-Hindi <Omar.Al-Hindi@stocktonca.gov>; Pascual Caluya <Pascual.Caluya@stocktonca.gov>

Subject: Leotek LED Street Light

Thor – As a follow up to our conversation today, the City is interested in replacing the existing “EC3” intersection and arterial lighting with the “GreenCobra” GCM2-40H-MV-NW-3R-GY-850-PCR7-WL-BBL (107 w). My understanding is that 4100 LED street light fixtures will require 4-6 weeks for delivery. At this time, City is requesting four (4) fixtures to field test. We’ll coordinate with Hy Nguyen regarding the order.

As soon as possible, please provide your team’s availability to discuss the recycling

component. Thank you Thor and please contact me if you have any questions.

James Wong

City of Stockton Public Works Dept.

1465 S. Lincoln Street

Stockton, CA 95206

Phone: 209 . 937 . 8110

Fax: 209 . 937 . 7115

www.stocktongov.com

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment.**Transmission**

Caveat and Virus Alert: Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment.**Transmission**

Caveat and Virus Alert: Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment.**Transmission**

Caveat and Virus Alert: Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

From: [Thor Scordelis](#)
To: [Omar Al-Hindi](#)
Cc: [Thinh Phan](#); [James Wong](#); [Robert L Johnson](#); [Pascual Caluya](#); [Felipe Barboza](#)
Subject: RE: LED Lights
Date: Tuesday, October 29, 2019 9:01:03 AM

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

I have asked Hy Nguyen, our RMA Administrator, to respond.

Thanks. Let me know if there is anything I can assist with.

Thor Scordelis

General Manager

Thor.scordelis@leotek.com

408-398-1447

Skype thor.scordelis

WhatsApp 408-398-1447

Leotek USA

1955 Lundy Ave.

San Jose, CA 95131

From: Omar Al-Hindi [mailto:Omar.Al-Hindi@stocktonca.gov]

Sent: Monday, October 28, 2019 1:07 PM

To: Thor Scordelis <Thor.Scordelis@leotek.com>

Cc: Thinh Phan <Thinh.Phan@stocktonca.gov>; James Wong <James.Wong@stocktonca.gov>; Robert_L Johnson <Robert_L.Johnson@stocktonca.gov>; Pascual Caluya <Pascual.Caluya@stocktonca.gov>; Felipe Barboza <Felipe.Barboza@stocktonca.gov>

Subject: LED Lights

Hi Thor;

Wanted to check what time will the 2nd shipment of LED lights arrive tomorrow at the City's Corp yard. Thanks.

Omar Al-Hindi

Associate Engineer

Operations & Maintenance Division

1465 South Lincoln Street

Stockton, Ca 95206

Office (209) 937-8346

omar.al-hindi@stocktonca.gov

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

From: [Hy Nguyen](#)
To: [Thinh Phan](#)
Subject: 2 doors
Date: Friday, September 4, 2020 10:06:27 AM

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hello Thinh,

We will ship the 2 doors you requested separately from 500 pcs shipment. I will provide you tracking number when I have it.

Thank you.

Best Regards,

Hy Nguyen

RMA Specialist

Office:408-489-0605

Cell: 408-609-1928

F:408 518 8128

hy.nguyen@Leotek.com

www.leotek.com

Leotek Electronics USA LLC

1955 Lundy Ave.

San Jose, CA 95131

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

From: [Hy Nguyen](#)
To: [Thinh Phan](#)
Subject: Fwd: RA19296
Date: Friday, September 4, 2020 11:12:02 AM

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hi Thinh

Tracking is below

Best

Get [Outlook for iOS](#)

From: Leotek_US logistics_02 <logistics_02@leotek.com>

Sent: Friday, September 4, 2020 12:43:52 PM

To: Hy Nguyen <Hy.Nguyen@leotek.com>

Subject: RA19296

Hi Hy

Here is the tracking # FedEx G 148273911905

Thanks

Van

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

From: [Hy.Nguyen](mailto:Hy.Nguyen@leotek.com)
To: [Thinh.Phan](mailto:Thinh.Phan@leotek.com)
Cc: [Tiffany.Chou](mailto:Tiffany.Chou@leotek.com)
Subject: FW: #2400047664
Date: Tuesday, September 8, 2020 9:37:56 AM
Attachments: [#111662152.pdf](#)

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hi Thinh
 The first 500 was shipped on Friday and it will be delivered today. Driver will call your contact 1 or 2 hours prior his arrival. Tracking number is XPO Logistics, PRO#328666391. Also, the second shipment for 1000 units will be shipped to you on 9/14/2020. Please let me know if there's any question.

Best Regards,
 Hy Nguyen
 RMA Specialist
 Office:408-489-0605
 Cell: 408-609-1928
 F:408 518 8128
hy.nguyen@leotek.com
www.leotek.com
 Leotek Electronics USA LLC
 1955 Lundy Ave.
 San Jose, CA 95131

From: Tiffany Chou <Tiffany.Chou@leotek.com>
Sent: Friday, September 4, 2020 4:35 PM
To: Hy Nguyen <Hy.Nguyen@leotek.com>; Dennis Hung <Dennis.Hung@liteon.com>
Subject: RE: #2400047664

Hi Hy,
 This is shipped today via XPO Logistics, PRO#328666391.
 Best regards

Tiffany Chou
 Leotek Electronics USA LLC
 1955 Lundy Avenue
 San Jose CA 95131
 (408) 380 - 1788 x125
Tiffany.chou@leotek.com

From: Hy Nguyen <Hy.Nguyen@leotek.com>
Sent: Wednesday, September 02, 2020 6:20 AM
To: Elly Chen <Elly.Chen@leotek.com.tw>; Selwin Bui <selwin.bui@leotek.com>; Ethan Chu <ethan.chu@leotek.com>; Gary Zhang <Gary.Zhang@liteon.com>; Dennis Hung <Dennis.Hung@liteon.com>; Tiffany Chou <Tiffany.Chou@leotek.com>

Cc: Leslie Huang <Leslie.Huang@leotek.com.tw>
Subject: RE: #2400047664

Hello Selwin/Ethan/Tiffany,
 Please complete and ship this RMA on Friday this week. This is extremely urgent. Please make sure we have the tracking info on Friday.

Thank you.
 Best Regards,
 Hy Nguyen
 RMA Specialist
 Office:408-489-0605
 Cell: 408-609-1928
 F:408 518 8128
hy.nguyen@leotek.com
www.leotek.com
 Leotek Electronics USA LLC
 1955 Lundy Ave.
 San Jose, CA 95131

From: Elly Chen <Elly.Chen@leotek.com.tw>
Sent: Wednesday, September 2, 2020 4:11 AM
To: Hy Nguyen <Hy.Nguyen@leotek.com>; Selwin Bui <selwin.bui@leotek.com>; Ethan Chu <ethan.chu@leotek.com>; Gary Zhang <Gary.Zhang@liteon.com>; Dennis Hung <Dennis.Hung@liteon.com>
Cc: Leslie Huang <Leslie.Huang@leotek.com.tw>
Subject: #2400047664

Hi Hy
 If we would produce 500pcs at this week, all materials are ready. But we need you issue DN and then we could create WO. Thanks.

Material	Material Description	SO Number	SO Item	DN Number	DN Item	Customer	Customer Name	SO Qty	SO Create Date	SO CRD Date	Remark	Plan order	Quantity required
BUBLEV-GC001	Bubble Leveling L-06 Φ18x9	2400047664	50100			0000043779	CITY OF ST	1,500.000	2020/7/21	2020/3/5	Inventory	Inventory	1,500.000
GCJ100000711	GCJ1-20H-MV-NW-2R-GY-700-PCR7-WL	2400047664	40100			0000043779	CITY OF ST	1,000.000	2020/7/21	2020/3/5	91-02-3UJ520N20H9U ETA 9/3	1122932844	1,000.000
GCJ100000711	GCJ1-20H-MV-NW-2R-GY-700-PCR7-WL	2400047664	40100			0000043779	CITY OF ST	500.000	2020/7/21	2020/3/5	all materials are ready	1124889556	500.000

Best Regards,
 徐怡芝 Elly Chen
 LITEON Technology Corp. (SLA SBU LEOTEK BD)
 Tel : 886-3-499-5939 ext.1726
 Fax : 886-3-499-5930
 E-mail : Elly.Chen@leotek.com.tw

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.



LEOTEK ELECTRONICS USA LLC.

1955 LUNDY AVENUE SAN JOSE, CA 95131 USA

Tel:408-380-1788 Fax:408-518-8128

Ship-to
 City of Stockton
 1465 S. Lincoln Street
 /Public Work-City Corp Yard
 Stockton, CA 95206
 USA
Bill-to
 J.A Momaney Services Inc. (JAM)

Delivery note
 D/N Number :4111864252
 Document Date :09/02/2020
 Shipping Point :LB50 Leotek USA
 Sales Person :Thor Scordelis
 Page :1 OF 1
 Sales Office/Group : USA SL

Shipping Schedule:

Delivery date :03/05/2020 00:00
 Terms of payment :O/A 30
 Shipping Condition :Truck

Weight/Volume:

Gross weight : 1,100 G
 Net weight : 1,100 G
 Volume : 0.000
 Container size :

Details

Item	Material	Special Remark	Quantity	SO Number
	Description	Serial Number		PO Number
	Cusomter material			
1	GCJ100000711		500	2400047664
	GCJ1-20H-MV-NW-2R-GY-700-P			RA19296-2
	CR7-WL			
2	BUBLEV-GC001		500	2400047664
	Bubble Leveling, L-06, £X18			RA19296-2
	x9			

1,000

Customer special instruction

Sales: _____ Sales Mgt.: _____ MFG/RD/QC: _____ Approved By: _____

Connie Cochran

From: Hy Nguyen <Hy.Nguyen@leotek.com>
Sent: Monday, September 14, 2020 12:21 PM
To: Tiffany Chou
Cc: Thinh Phan
Subject: second shipment to city of Stockton

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hello Tiffany

Would you please update tracking info as soon as you have it?

Thank you

Best Regards,

Hy Nguyen
RMA Specialist
Office:408-489-0605
Cell: 408-609-1928
F:408 518 8128
hy.nguyen@Leotek.com
www.leotek.com
Leotek Electronics USA LLC
1955 Lundy Ave.
San Jose, CA 95131

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment.**Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Connie Cochran

From: Hy Nguyen <Hy.Nguyen@leotek.com>
Sent: Monday, September 14, 2020 1:52 PM
To: Thinh Phan; Tiffany Chou
Subject: RE: second shipment to city of Stockton

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hello Thinh,

Thank you. Do you also have a specific loading point since you mentioned something about incorrect area the driver dropped off last time?

thanks

Hy Nguyen
RMA Specialist
Office:408-489-0605
Cell: 408-609-1928
F:408 518 8128
hy.nguyen@Leotek.com
www.leotek.com
Leotek Electronics USA LLC
1955 Lundy Ave.
San Jose, CA 95131

From: Thinh Phan <Thinh.Phan@stocktonca.gov>
Sent: Monday, September 14, 2020 1:50 PM
To: Tiffany Chou <Tiffany.Chou@leotek.com>
Cc: Hy Nguyen <Hy.Nguyen@leotek.com>
Subject: RE: second shipment to city of Stockton

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Hi Tiffany,

I hope you are doing well.

We had some confusion with the delivery for the first shipment of the LED fixture. The driver did not contact us in advance of the delivery time.

Please make sure the driver delivers the fixture between 8-9:00 A.M and contact me 1 hour before delivery. When the driver gets to the gate, just tell the office staff that they have a delivery of LED fixtures for Thinh Phan.

Contact: Thinh Phan
Cell: 209-298-9350

If you have any questions, let me know.

Thanks,

Thinh Phan
City of Stockton Public Works
Operation & Maintenance
Office : (209) 937-8885
Cell : (209) 298-9350

From: Hy Nguyen <Hy.Nguyen@leotek.com>
Sent: Monday, September 14, 2020 12:21 PM
To: Tiffany Chou <Tiffany.Chou@leotek.com>
Cc: Thinh Phan <Thinh.Phan@stocktonca.gov>
Subject: second shipment to city of Stockton

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hello Tiffany

Would you please update tracking info as soon as you have it?

Thank you

Best Regards,

Hy Nguyen
RMA Specialist
Office:408-489-0605
Cell: 408-609-1928
F:408 518 8128
hy.nguyen@Leotek.com
www.leotek.com
Leotek Electronics USA LLC
1955 Lundy Ave.
San Jose, CA 95131

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Connie Cochran

From: Hy Nguyen <Hy.Nguyen@leotek.com>
Sent: Thursday, October 22, 2020 10:24 AM
To: Thinh Phan
Subject: RMA form
Attachments: RMAREQUESTFORM2.xlsx

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hello Thinh,

Please fill out the form I have attached and send it back to me to begin RMA.

Thank you.

Best Regards,

Hy Nguyen
RMA Specialist
Office:408-489-0605
Cell: 408-609-1928
F:408 518 8128
hy.nguyen@Leotek.com
www.leotek.com
Leotek Electronics USA LLC
1955 Lundy Ave.
San Jose, CA 95131

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

From: [Hy.Nguyen](mailto:Hy.Nguyen@leotek.com)
To: [Thinh.Phan](mailto:Thinh.Phan@leotek.com)
Subject: FW: #2400050727-RMA order
Date: Friday, October 22, 2021 8:36:53 AM

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hi Thinh,

The RMA will be shipped by November 19th. Just give you a heads up.

Thank you.

Best Regards,

From: Gary Zhang <Gary.Zhang@liteon.com>

Sent: Friday, October 22, 2021 2:26 AM

To: Dennis Hung <Dennis.Hung@liteon.com>; Hy Nguyen <Hy.Nguyen@leotek.com>

Cc: Leslie Huang <Leslie.Huang@leotek.com.tw>; Jessy Lee <Jessy.Lee@leotek.com.tw>; Selwin Bui <selwin.bui@leotek.com>; Ethan Chu <ethan.chu@leotek.com>; Putheavy Khen <Putheavy.Khen@leotek.com>; Nhu Trieu <Nhu.Trieu@leotek.com>; Elly Chen <Elly.Chen@leotek.com.tw>; Yuming Liu <Yuming.Liu@leotek.com.tw>; Bullet Wu <Bullet.Wu@liteon.com>

Subject: RE: #2400050727-RMA order

Hi Dennis,

SKD will finish this RMA work order before 11/19/2021. Thanks.

Regards,

Gary

From: Dennis Hung <Dennis.Hung@liteon.com>

Sent: Friday, October 22, 2021 2:32 PM

To: Gary Zhang <Gary.Zhang@liteon.com>; Hy Nguyen <Hy.Nguyen@leotek.com>

Cc: Leslie Huang <Leslie.Huang@leotek.com.tw>; Jessy Lee <Jessy.Lee@leotek.com.tw>; Selwin Bui <selwin.bui@leotek.com>; Ethan Chu <ethan.chu@leotek.com>; Putheavy Khen <Putheavy.Khen@leotek.com>; Nhu Trieu <Nhu.Trieu@leotek.com>; Elly Chen <Elly.Chen@leotek.com.tw>; Yuming Liu <Yuming.Liu@leotek.com.tw>; Bullet Wu <Bullet.Wu@liteon.com>

Subject: RE: #2400050727-RMA order

Importance: High

Hi Gary,

Not a problem, just let us know when we can ship to customer.

Best regards,

Dennis

From: Gary Zhang <Gary.Zhang@liteon.com>

Sent: Friday, October 22, 2021 2:31 PM

To: Hy Nguyen <Hy.Nguyen@leotek.com>

Cc: Leslie Huang <Leslie.Huang@leotek.com.tw>; Jessy Lee <Jessy.Lee@leotek.com.tw>; Selwin Bui <selwin.bui@leotek.com>; Ethan Chu <ethan.chu@leotek.com>; Putheavy Khen <Putheavy.Khen@leotek.com>; Nhu Trieu <Nhu.Trieu@leotek.com>; Elly Chen <Elly.Chen@leotek.com.tw>; Dennis Hung <Dennis.Hung@liteon.com>; Yuming Liu <Yuming.Liu@leotek.com.tw>; Bullet Wu <Bullet.Wu@liteon.com>

Subject: RE: #2400050727-RMA order

Hi Hy,

SKD will be busy working on the work orders to hit October revenue. I suggest to work on RMA orders in November. Thanks.

Regards,

Gary

From: Elly Chen <Elly.Chen@leotek.com.tw>

Sent: Friday, October 22, 2021 1:56 PM

To: Hy Nguyen <Hy.Nguyen@leotek.com>; Dennis Hung <Dennis.Hung@liteon.com>; Yuming Liu <Yuming.Liu@leotek.com.tw>; Bullet Wu <Bullet.Wu@liteon.com>; Gary Zhang <Gary.Zhang@liteon.com>

Cc: Leslie Huang <Leslie.Huang@leotek.com.tw>; Jessy Lee <Jessy.Lee@leotek.com.tw>; Selwin Bui <selwin.bui@leotek.com>; Ethan Chu <ethan.chu@leotek.com>; Putheavy Khen <Putheavy.Khen@leotek.com>; Nhu Trieu <Nhu.Trieu@leotek.com>

Subject: #2400050727-RMA order

Hi Hy, Dennis, Gary

All materials of this RMA order is ready now. Please help to check would we produce it this month? Thanks.

Material	SO Number	SO Item	DN Number	Customer	Customer Name	SO Qty	SO Create Date	SO CRD Date	Plan order
G CJ100001084	2400050727	30100		0000043779	CITY OF ST	2,904	2021/8/10	2021/7/29	1150955547
BUBLEV-GC001	2400050727	20100		0000043779	CITY OF ST	2,904	2021/7/29	2021/7/29	Inventory

Best Regards,

陳怡芝 Elly Chen

LITEON Technology Corp. (LEOTEK BD)

Tel : 886-3-499-5939 ext.1726

Fax: 886-3-499-5930

E-mail: Elly.Chen@leotek.com.tw

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

From: [Thor Scordelis](#)
To: [James Wong](#); [Hy Nguyen](#)
Cc: [Thinh Phan](#)
Subject: RE: LED Streetlights
Date: Thursday, October 22, 2020 12:19:30 PM

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hello James.

Hy, please review request below and call me to discuss. Thanks.

From: James Wong [mailto:James.Wong@stocktonca.gov]
Sent: Thursday, October 22, 2020 12:01 PM
To: Thor Scordelis <Thor.Scordelis@leotek.com>
Cc: Thinh Phan <Thinh.Phan@stocktonca.gov>
Subject: LED Streetlights

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Hello Thor – Regarding the replacement of failing/failed LED streetlights, I believe about 3800 residential LED streetlights are pending replacement. There are no funds currently available for contract installation, but internal crews may install the LED's as failures are identified or until funding is available. We like to receive shipment of the remaining replacement residential LED streetlights and start the warranty for each fixture as they are installed. We can provide the serial number scan sheet for the installed units. Please let us know if starting the warranty for each fixture once it is installed is agreeable. Thank you Thor.

James Wong
City of Stockton Public Works Dept.
1465 S. Lincoln Street
Stockton, CA 95206
Phone: 209 . 937 . 8110
Fax: 209 . 937 . 7115
www.stocktongov.com

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

From: [Hy Nguyen](#)
To: [Thinh Phan](#)
Subject: FW: Laptop shipping back from City of Stockton
Date: Monday, October 26, 2020 3:40:21 PM
Attachments: [LAPTOP.jpg](#)

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hi Thinh

Please see attached for Shipping label.

Best Regards

Hy Nguyen

RMA Specialist

Office:408-489-0605

Cell: 408-609-1928

F:408 518 8128

hy.nguyen@Leotek.com

www.leotek.com

Leotek Electronics USA LLC

1955 Lundy Ave.

San Jose, CA 95131

From: Leotek_US logistics_02 <logistics_02@leotek.com>

Sent: Monday, October 26, 2020 1:42 PM

To: Muddasar Shaikh <Muddasar.Shaikh@leotek.com>; Hy Nguyen <Hy.Nguyen@leotek.com>; Shu Lau <shu.Lau@leotek.com>

Cc: Dennis Hung <Dennis.Hung@liteon.com>; David Shang <David@leotek.com>

Subject: Re: Laptop shipping back from City of Stockton

Hi Hy

Here is the return label by UPS Ground tracking # 1Z6R8A919058581850

Regards,

Van

From: Leotek_US logistics_02

Sent: Monday, October 26, 2020 1:40:24 PM

To: Muddasar Shaikh; Hy Nguyen; Shu Lau

Cc: Dennis Hung; David Shang

Subject: Re: Laptop shipping back from City of Stockton

Hi Muddasar,

Here is the return label by UPS Ground tracking # 1Z6R8A919058581850

Regards,

Van

From: Muddasar Shaikh <Muddasar.Shaikh@leotek.com>

Sent: Monday, October 26, 2020 1:00:38 PM

To: Hy Nguyen; Leotek_US logistics_02; Shu Lau

Cc: Dennis Hung; David Shang

Subject: Re: Laptop shipping back from City of Stockton

Thanks Hy,

Hi Van,

Please put \$1000 insurance on the package and provide tracking info to us once label is ready.

Thank You,

Muddasar Shaikh

From: Hy Nguyen <Hy.Nguyen@leotek.com>

Sent: Monday, October 26, 2020 12:15:31 PM

To: Leotek_US logistics_02 <logistics_02@leotek.com>; Shu Lau <shu.Lau@leotek.com>

Cc: Dennis Hung <Dennis.Hung@liteon.com>; Muddasar Shaikh <Muddasar.Shaikh@leotek.com>;

David Shang <David@leotek.com>

Subject: Laptop shipping back from City of Stockton

Hello Van

Can you please issue 1 shipping label (15 lbs) to bring 2 laptops and couple scanners back to Leotek.

Please attention to Muddasar.

Shu, when you receive this package, please give the laptop to Muddasar, and Scanners to David Shang.

Muddasar/David

These are loaners that we sent to City of Stockton to record serial number / RMA replacement project. You can give the scanners to any dept that need. Let me know if there's any questions.

Best Regards,

Hy Nguyen

RMA Specialist

Office:408-489-0605

Cell: 408-609-1928

F:408 518 8128

hy.nguyen@Leotek.com

www.leotek.com

Leotek Electronics USA LLC

1955 Lundy Ave.

San Jose, CA 95131

From: Thinh Phan <Thinh.Phan@stocktonca.gov>

Sent: Thursday, October 22, 2020 10:27 AM

To: Hy Nguyen <Hy.Nguyen@leotek.com>

Subject: Requesting Shipping Label

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Hi Hy,

Can you provide a shipping label to return the two laptops and four scanners (total weight = 15lbs)?

1465 S. Lincoln St

Stockton, CA 95206

Thanks,

Thinh Phan

City of Stockton Public Works


Operation & Maintenance

Office : (209) 937-8885

Cell : (209) 298-9350

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

SHIP TO:
ATTN: MUDDASAR
(408) 380-1788
LEO TEK
1955 LUNDY AVE
SAN JOSE CA 95131




CA 951 9-02



UPS GROUND

TRACKING #: 1Z 6R8 A91 90 5858 1850



BILLING: P/P
DESC: LAPTOPS
RETURN SERVICE

Invoice No.: LB00103
REF 2:2LAPTOP

WS 22.0.15 Zebra ZP 450 S4.0A 10/2020



SEE NOTICE ON REVIEWS regarding UPS Terms and notice of limitation of liability. Where allowed by law, shipper authorizes UPS to act as forwarding agent for export control and customs purposes. If exported from the US, shipper certifies that the commodities, technology or software were exported from the US in accordance with the Export Administration Regulations. Diversion contrary to law is prohibited. 980 002 1019

Connie Cochran

From: Hy Nguyen <Hy.Nguyen@leotek.com>
Sent: Wednesday, December 30, 2020 9:01 AM
To: Thinh Phan
Cc: James Wong
Subject: RE: RMA Request Form

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hi Thinh

Can you please use the link below to submit RMA?

Thank you.

- <https://forms.office.com/Pages/ResponsePage.aspx?id=myV6WjBnS0C8JVxsdzlpymjsjQ21AekIEuBh5wD6mwzxUNFU0Q0w1SEJXQUIGVUhVRFFYREZNTjBFVS4u>

Hy Nguyen
RMA Specialist
Office:408-489-0605
Cell: 408-609-1928
F:408 518 8128
hy.nguyen@Leotek.com
www.leotek.com
Leotek Electronics USA LLC
1955 Lundy Ave.
San Jose, CA 95131

From: Thinh Phan <Thinh.Phan@stocktonca.gov>
Sent: Wednesday, December 30, 2020 8:06 AM
To: Hy Nguyen <Hy.Nguyen@leotek.com>
Cc: James Wong <James.Wong@stocktonca.gov>
Subject: RMA Request Form

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Good morning Hy,

Happy holiday!

Attached you will find the RMA request form for three broken fixtures.

Let me know if additional information is needed.

Thanks,

Thinh Phan
City of Stockton Public Works
Operation & Maintenance
Office : (209) 937-8885
Cell : (209) 298-9350

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

From: [Hy Nguyen](#)
To: [Thinh Phan](#)
Subject: FW: Replacement of Plastic Door and Latch
Date: Monday, August 9, 2021 2:50:51 PM

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hi Thinh

Can you please provide me the address where you want to send the doors to?

Thanks

From: Quy Nguyen <Quy.Nguyen@liteon.com>
Sent: Monday, August 9, 2021 2:43 PM
To: Hy Nguyen <Hy.Nguyen@leotek.com>
Subject: RE: Replacement of Plastic Door and Latch
GCM2-40H-MV-NW-3R-GY-850-PCR7-WL-BBL **MTLGM-FC001Y**
GCJ1-20H-MV-NW-2R-GY-700-PCR7-WL-BBL **MTLGJ-FC001Y**

From: Hy Nguyen
Sent: Monday, August 09, 2021 1:03 PM
To: Quy Nguyen <Quy.Nguyen@liteon.com>
Subject: FW: Replacement of Plastic Door and Latch

Hi anh Quy,

Do you know the MFG part number of the following metal door?

GCM2-40H-MV-NW-3R-GY-850-PCR7-WL-BBL

GCJ1-20H-MV-NW-2R-GY-700-PCR7-WL-BBL

Thank you.

From: Thinh Phan <Thinh.Phan@stocktonca.gov>
Sent: Monday, August 9, 2021 7:22 AM
To: Hy Nguyen <Hy.Nguyen@leotek.com>
Cc: Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>
Subject: RE: Replacement of Plastic Door and Latch

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Hi Hy,

GCM2-40H-MV-NW-3R-GY-850-PCR7-WL-BBL

GCJ1-20H-MV-NW-2R-GY-700-PCR7-WL-BBL

Thanks,

Thinh Phan

City of Stockton Public Works

Operation & Maintenance

Office : (209) 937-8885

Cell : (209) 298-9350

From: Hy Nguyen <Hy.Nguyen@leotek.com>
Sent: Sunday, August 8, 2021 7:22 PM
To: Thinh Phan <Thinh.Phan@stocktonca.gov>
Cc: Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>

Subject: RE: Replacement of Plastic Door and Latch

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hi Think,

I will check for availability. Can you please provide me full catalogue part number?

Thank you.

Best Regards,

From: Think Phan <Think.Phan@stocktonca.gov>

Sent: Thursday, August 5, 2021 3:17 PM

To: Hy Nguyen <Hy.Nguyen@leotek.com>

Cc: Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>

Subject: Replacement of Plastic Door and Latch

Importance: High

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Hi Hy,

We noticed a few streetlights are missing the plastic doors (probably thru vibration from high wind).

We will need 10 GC and 10 GCJ metal door/latch.

Let me know if you have any questions.

Thanks,

Think Phan

City of Stockton Public Works

Operation & Maintenance

Office : (209) 937-8885

Cell : (209) 298-9350

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Connie Cochran

From: Hy Nguyen <Hy.Nguyen@leotek.com>
Sent: Tuesday, August 10, 2021 3:03 PM
To: Thinh Phan
Subject: RE: Replacement of Plastic Door and Latch

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

You're welcome 😊

From: Thinh Phan <Thinh.Phan@stocktonca.gov>
Sent: Tuesday, August 10, 2021 3:02 PM
To: Hy Nguyen <Hy.Nguyen@leotek.com>
Subject: RE: Replacement of Plastic Door and Latch

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Thank you.

From: Hy Nguyen <Hy.Nguyen@leotek.com>
Sent: Tuesday, August 10, 2021 2:48 PM
To: Thinh Phan <Thinh.Phan@stocktonca.gov>
Subject: RE: Replacement of Plastic Door and Latch

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hi Thinh,

Tracking number is FedEx G 148273955385,

Best Regards,

From: Thinh Phan <Thinh.Phan@stocktonca.gov>
Sent: Monday, August 9, 2021 2:52 PM
To: Hy Nguyen <Hy.Nguyen@leotek.com>
Subject: RE: Replacement of Plastic Door and Latch

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Hy,

Attn: Thinh Phan
1465 S. Lincoln St
Stockton, CA 95209

Thanks,

Thinh Phan
City of Stockton Public Works
Operation & Maintenance
Office : (209) 937-8885
Cell : (209) 298-9350

From: Hy Nguyen <Hy.Nguyen@leotek.com>
Sent: Monday, August 9, 2021 2:51 PM
To: Thinh Phan <Thinh.Phan@stocktonca.gov>
Subject: FW: Replacement of Plastic Door and Latch

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hi Thinh

Can you please provide me the address where you want to send the doors to?

Thanks

From: Quy Nguyen <Quy.Nguyen@liteon.com>
Sent: Monday, August 9, 2021 2:43 PM
To: Hy Nguyen <Hy.Nguyen@leotek.com>
Subject: RE: Replacement of Plastic Door and Latch

GCM2-40H-MV-NW-3R-GY-850-PCR7-WL-BBL **MTLGM-FC001Y**

GCJ1-20H-MV-NW-2R-GY-700-PCR7-WL-BBL **MTLGJ-FC001Y**

From: Hy Nguyen
Sent: Monday, August 09, 2021 1:03 PM
To: Quy Nguyen <Quy.Nguyen@liteon.com>
Subject: FW: Replacement of Plastic Door and Latch

Hi anh Quy,

Do you know the MFG part number of the following metal door?

GCM2-40H-MV-NW-3R-GY-850-PCR7-WL-BBL

GCJ1-20H-MV-NW-2R-GY-700-PCR7-WL-BBL

Thank you.

From: Thinh Phan <Thinh.Phan@stocktonca.gov>
Sent: Monday, August 9, 2021 7:22 AM
To: Hy Nguyen <Hy.Nguyen@leotek.com>
Cc: Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>
Subject: RE: Replacement of Plastic Door and Latch

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Hi Hy,

GCM2-40H-MV-NW-3R-GY-850-PCR7-WL-BBL

G CJ1-20H-MV-NW-2R-GY-700-PCR7-WL-BBL

Thanks,

Thinh Phan
City of Stockton Public Works
Operation & Maintenance
Office : (209) 937-8885
Cell : (209) 298-9350

From: Hy Nguyen <Hy.Nguyen@leotek.com>
Sent: Sunday, August 8, 2021 7:22 PM
To: Thinh Phan <Thinh.Phan@stocktonca.gov>
Cc: Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>
Subject: RE: Replacement of Plastic Door and Latch

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hi Thinh,

I will check for availability. Can you please provide me full catalogue part number?

Thank you.

Best Regards,

From: Thinh Phan <Thinh.Phan@stocktonca.gov>
Sent: Thursday, August 5, 2021 3:17 PM
To: Hy Nguyen <Hy.Nguyen@leotek.com>
Cc: Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>
Subject: Replacement of Plastic Door and Latch
Importance: High

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Hi Hy,

We noticed a few streetlights are missing the plastic doors (probably thru vibration from high wind). We will need 10 GC and 10 GCJ metal door/latch.

Let me know if you have any questions.

Thanks,

Thinkh Phan
City of Stockton Public Works
Operation & Maintenance
Office : (209) 937-8885
Cell : (209) 298-9350

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Connie Cochran

From: Hy Nguyen <Hy.Nguyen@leotek.com>
Sent: Wednesday, September 29, 2021 9:18 AM
To: Thinh Phan
Cc: Chad Reed; Jimmy Vasquez; James Wong; Thor Scordelis
Subject: RE: Replacement of Remaining Residential Leotek Luminaires

Follow Up Flag: Follow up
Flag Status: Completed

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hello Thinh,

Per our conversation, we don't need the city to record serial number anymore. However, we still need the Report and photos of fixtures being discards.

Thank you again.

Best Regards,

From: Thinh Phan <Thinh.Phan@stocktonca.gov>
Sent: Wednesday, September 29, 2021 7:48 AM
To: Hy Nguyen <Hy.Nguyen@leotek.com>
Cc: Chad Reed <Chad.Reed@stocktonca.gov>; Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>; James Wong <James.Wong@stocktonca.gov>; Thor Scordelis <Thor.Scordelis@leotek.com>
Subject: RE: Replacement of Remaining Residential Leotek Luminaires

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Good morning Hy,

I'm following up on the previous email regarding the City's requirement to provide the serial number for the failed fixtures.

Thanks,

Thinh Phan
City of Stockton Public Works
Operation & Maintenance
Office : (209) 937-8885
Cell : (209) 298-9350

From: Hy Nguyen <Hy.Nguyen@leotek.com>
Sent: Wednesday, September 22, 2021 10:34 AM
To: Thinh Phan <Thinh.Phan@stocktonca.gov>
Cc: Chad Reed <Chad.Reed@stocktonca.gov>; Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>; James Wong

<James.Wong@stocktonca.gov>; Thor Scordelis <Thor.Scordelis@leotek.com>

Subject: RE: Replacement of Remaining Residential Leotek Luminaires

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hi Think,

Let me check with our team and get back to you.

Best Regards,

From: Think Phan <Think.Phan@stocktonca.gov>

Sent: Tuesday, September 21, 2021 2:06 PM

To: Hy Nguyen <Hy.Nguyen@leotek.com>

Cc: Chad Reed <Chad.Reed@stocktonca.gov>; Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>; James Wong <James.Wong@stocktonca.gov>; Thor Scordelis <Thor.Scordelis@leotek.com>

Subject: RE: Replacement of Remaining Residential Leotek Luminaires

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Good afternoon Hy,

Will the city be required to provide the serial number of the failed fixture? If yes, Leotek will need to provide the scanning devices and laptops.

Thanks,

Think Phan
City of Stockton Public Works
Operation & Maintenance
Office : (209) 937-8885
Cell : (209) 298-9350

From: Hy Nguyen <Hy.Nguyen@leotek.com>

Sent: Monday, August 9, 2021 3:09 PM

To: Think Phan <Think.Phan@stocktonca.gov>

Cc: Chad Reed <Chad.Reed@stocktonca.gov>; Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>; James Wong <James.Wong@stocktonca.gov>; Thor Scordelis <Thor.Scordelis@leotek.com>

Subject: RE: Replacement of Remaining Residential Leotek Luminaires

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hi Think,

Yes, the order is already being placed. I will let you know when the first batch is ready to ship.

Best Regards,

From: Think Phan <Think.Phan@stocktonca.gov>

Sent: Monday, August 9, 2021 3:06 PM

To: Hy Nguyen <Hy.Nguyen@leotek.com>

Cc: Chad Reed <Chad.Reed@stocktonca.gov>; Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>; James Wong <James.Wong@stocktonca.gov>; Thor Scordelis <Thor.Scordelis@leotek.com>
Subject: RE: Replacement of Remaining Residential Leotek Luminaires

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Hy,

Would you please start the process for shipping 1000 units in September and the remainder in November?

Thanks,

Thinh Phan
City of Stockton Public Works
Operation & Maintenance
Office : (209) 937-8885
Cell : (209) 298-9350

From: Hy Nguyen <Hy.Nguyen@leotek.com>
Sent: Thursday, August 5, 2021 9:37 AM
To: Thinh Phan <Thinh.Phan@stocktonca.gov>
Cc: Chad Reed <Chad.Reed@stocktonca.gov>; Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>; James Wong <James.Wong@stocktonca.gov>; Thor Scordelis <Thor.Scordelis@leotek.com>
Subject: RE: Replacement of Remaining Residential Leotek Luminaires

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hello Thinh,

We would be able to ship 1000 units on Sept, and the rest will be in November. All units have Metal doors.

Best Regards,

From: Thinh Phan <Thinh.Phan@stocktonca.gov>
Sent: Tuesday, August 3, 2021 7:19 AM
To: Hy Nguyen <Hy.Nguyen@leotek.com>
Cc: Chad Reed <Chad.Reed@stocktonca.gov>; Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>; James Wong <James.Wong@stocktonca.gov>; Thor Scordelis <Thor.Scordelis@leotek.com>
Subject: RE: Replacement of Remaining Residential Leotek Luminaires

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Good morning Hy,

How many LED fixtures is considered a partial shipment?

Would you please make sure is the new GCJ model with the metal door and latch?

Thanks,

Thinh Phan
City of Stockton Public Works
Operation & Maintenance
Office : (209) 937-8885
Cell : (209) 298-9350

From: Hy Nguyen <Hy.Nguyen@leotek.com>
Sent: Thursday, July 29, 2021 8:48 AM
To: Thinh Phan <Thinh.Phan@stocktonca.gov>
Cc: Chad Reed <Chad.Reed@stocktonca.gov>; Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>; James Wong <James.Wong@stocktonca.gov>; Thor Scordelis <Thor.Scordelis@leotek.com>
Subject: RE: Replacement of Remaining Residential Leotek Luminaires

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hello Thinh,

ESD will be second week from November. However, we can ship partial in September and Oct.
Best Regards

From: Thinh Phan <Thinh.Phan@stocktonca.gov>
Sent: Tuesday, July 27, 2021 3:37 PM
To: Hy Nguyen <Hy.Nguyen@leotek.com>
Cc: Chad Reed <Chad.Reed@stocktonca.gov>; Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>; James Wong <James.Wong@stocktonca.gov>; Thor Scordelis <Thor.Scordelis@leotek.com>
Subject: RE: Replacement of Remaining Residential Leotek Luminaires

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Hi Hy,

I'm following up on the previous email. Do you have any updates?

Thanks,

Thinh Phan
City of Stockton Public Works
Operation & Maintenance
Office : (209) 937-8885
Cell : (209) 298-9350

From: Hy Nguyen <Hy.Nguyen@leotek.com>
Sent: Thursday, July 15, 2021 1:11 PM
To: Thinh Phan <Thinh.Phan@stocktonca.gov>
Cc: Chad Reed <Chad.Reed@stocktonca.gov>; Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>; James Wong <James.Wong@stocktonca.gov>; Larsen, Thor (Thor.Larsen@hdrinc.com) <Thor.Larsen@hdrinc.com>
Subject: RE: Replacement of Remaining Residential Leotek Luminaires

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hello Think,

Let me check and get back to you on this.

Best Regards,

Hy Nguyen
RMA Specialist
Office:408-489-0605
Cell: 408-609-1928
F:408 518 8128
hy.nguyen@Leotek.com
www.leotek.com
Leotek Electronics USA LLC
1955 Lundy Ave.
San Jose, CA 95131

From: Think Phan <Think.Phan@stocktonca.gov>
Sent: Wednesday, July 14, 2021 12:53 PM
To: Hy Nguyen <Hy.Nguyen@leotek.com>
Cc: Chad Reed <Chad.Reed@stocktonca.gov>; Jimmy Vasquez <Jimmy.Vasquez@stocktonca.gov>; James Wong <James.Wong@stocktonca.gov>; Larsen, Thor (Thor.Larsen@hdrinc.com) <Thor.Larsen@hdrinc.com>
Subject: Replacement of Remaining Residential Leotek Luminaires
Importance: High

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Hi Hy,

The City would like to proceed with the replacement of the remaining residential Leotek luminaires.

Would you please make arrangements to provide the City with the remaining 4104 Luminaires, model GCJ1-20H-MV-NW-2R-GY-700-PCR7-WL-BBL (46w)? We are also requesting to have the new version with the metal doors.

We understand the luminaires shipped to the City of Stockton Corporation Yard will be at no cost to the City. Can you confirm the required lead time for the delivery so we may accommodate the shipment?

Please note that notwithstanding any communications or statements to the contrary, the City's order or acceptance of the luminaires, or Leotek's delivery of such luminaires, whether under Leotek's warranty obligations or otherwise, is not a waiver or release of any of the City's rights, or Leotek's obligations, for any damages, claims, liabilities, fees or costs related to the luminaires including, without limitation, labor and other costs related to the installation of the luminaires (collectively "Claims"). The City reserves its right to pursue and recover on such Claims, notwithstanding the City's order and acceptance of the luminaires and Leotek's delivery of the same.

Don't hesitate to get in touch with me should you have any questions.

Thanks,

Think Phan
City of Stockton Public Works
Operation & Maintenance
Office : (209) 937-8885
Cell : (209) 298-9350

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment.**Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment.**Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment.**Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment.**Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment.**Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Confidential Information:This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment.**Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

From: [Hy Nguyen](#)
To: [Tiffany Chou](#); [Ethan Chu](#); [Selwin Bui](#)
Cc: [Chak N Chan](#); [Thinh Phan](#)
Subject: RA19296-3 City of Stockton
Date: Monday, December 6, 2021 11:26:26 AM

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hi Tiffany,

2 DNs

4113047557- for 2688

4113047559 -For 216

Contact information: Thinh Phan- 209937-8885.

Thinh, I just called you and left a message. We will either ship this today or tomorrow is the latest. When can your team available to intercept this shipment?

Best Regards,

From: Tiffany Chou <Tiffany.Chou@leotek.com>

Sent: Friday, December 3, 2021 1:22 PM

To: Hy Nguyen <Hy.Nguyen@leotek.com>

Cc: Chak N Chan <Chak.N.Chan@leotek.com>

Subject: FW: Office-CanonD1320

Hi Hy,

Need you to split this New Haven order into 2 DN# (2688 pcs + 216 pcs).

Best Regards,

Tiffany Chou

Leotek Electronics USA/Logistics Analyst

San Jose, CA 95131/ (408) 380-1788 x 125

tiffany.chou@leotek.com

From: do_not_reply@leotek.com <do_not_reply@leotek.com>

Sent: Friday, December 3, 2021 12:30 PM

To: Tiffany Chou <Tiffany.Chou@leotek.com>

Subject: Office-CanonD1320

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

From: [Hy Nguyen](#)
To: [Thinh Phan](#)
Subject: FW: Stockton RMA
Date: Tuesday, December 7, 2021 2:13:41 PM

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hi Thinh,

This is FYI.

Bes Regards,

From: Tiffany Chou <Tiffany.Chou@leotek.com>

Sent: Tuesday, December 7, 2021 2:01 PM

To: Hy Nguyen <Hy.Nguyen@leotek.com>

Cc: Gary Zhang <Gary.Zhang@liteon.com>; Dennis Hung <Dennis.Hung@liteon.com>

Subject: RE: Stockton RMA

Hi Hy,

Wanted you to know Stockton Load picked up before 9am and directly delivered around 1:15pm today -- clean delivery with driver's assistance.

We did not know the consignee did not have a loading dock that driver had to move the pallets to the trail of the trailer so the forklift could get them.

Normally, FTL's driver did not assist to offload shipments so I did not include this service with my quote since you did not mention it. Carrier for sure will charge us this service fees when they invoice us. Please make sure to check with consignees in advance to avoid bargaining while we process carrier's payments going forward.

Thank you for your attention to this matter!

Best Regards,

Tiffany Chou

Leotek Electronics USA/Logistics Analyst
San Jose, CA 95131/ (408) 380-1788 x 125
tiffany.chou@leotek.com

From: Tiffany Chou

Sent: Monday, December 6, 2021 3:33 PM

To: Gary Zhang <Gary.Zhang@liteon.com>

Cc: Chak N Chan <Chak.N.Chan@leotek.com>; Shu Lau <shu.Lau@leotek.com>; Selwin Bui <selwin.bui@leotek.com>; Hy Nguyen <Hy.Nguyen@leotek.com>; Ethan Chu <ethan.chu@leotek.com>; Dennis Hung <Dennis.Hung@liteon.com>

Subject: RE: Stockton RMA

Hi Gary,

Yes, at least 2 days.

Best Regards,

Tiffany Chou

Leotek Electronics USA/Logistics Analyst
San Jose, CA 95131/ (408) 380-1788 x 125
tiffany.chou@leotek.com

From: Gary Zhang <Gary.Zhang@liteon.com>

Sent: Monday, December 6, 2021 3:31 PM

To: Tiffany Chou <Tiffany.Chou@leotek.com>

Cc: Chak N Chan <Chak.N.Chan@leotek.com>; Shu Lau <shu.Lau@leotek.com>; Selwin Bui <selwin.bui@leotek.com>; Hy Nguyen <Hy.Nguyen@leotek.com>; Ethan Chu <ethan.chu@leotek.com>; Dennis Hung <Dennis.Hung@liteon.com>

Subject: RE: Stockton RMA

Hi Tiffany,

The 216pcs via LTL will take couple days for the delivery, right? Thanks.

Regards,

Gary

From: Tiffany Chou <Tiffany.Chou@leotek.com>

Sent: Tuesday, December 7, 2021 5:35 AM

To: Gary Zhang <Gary.Zhang@liteon.com>

Cc: Chak N Chan <Chak.N.Chan@leotek.com>; Shu Lau <shu.Lau@leotek.com>; Selwin Bui <selwin.bui@leotek.com>; Hy Nguyen <Hy.Nguyen@leotek.com>; Ethan Chu <ethan.chu@leotek.com>; Dennis Hung <Dennis.Hung@liteon.com>

Subject: RE: Stockton RMA

Hi all,

Carrier spoke with Think Phan at the receiver, will pick up this FTL load (2,688 units) first thing tomorrow morning before 9am and straight through same day delivery.

The remaining 216 units will pick up today with LTL shipment. Please be advised.

Best Regards,

Tiffany Chou

Leotek Electronics USA/Logistics Analyst

San Jose, CA 95131/ (408) 380-1788 x 125

tiffany.chou@leotek.com

From: Gary Zhang <Gary.Zhang@liteon.com>

Sent: Sunday, December 5, 2021 6:36 PM

To: Tiffany Chou <Tiffany.Chou@leotek.com>

Cc: Chak N Chan <Chak.N.Chan@leotek.com>; Shu Lau <shu.Lau@leotek.com>; Selwin Bui <selwin.bui@leotek.com>; Hy Nguyen <Hy.Nguyen@leotek.com>; Ethan Chu <ethan.chu@leotek.com>; Dennis Hung <Dennis.Hung@liteon.com>

Subject: RE: Stockton RMA

Hi Tiffany,

If you find truck can have partial shipment, please do so. Thanks.

Regards,

Gary

From: Tiffany Chou <Tiffany.Chou@leotek.com>

Sent: Saturday, December 4, 2021 5:25 AM

To: Hy Nguyen <Hy.Nguyen@leotek.com>; Ethan Chu <ethan.chu@leotek.com>; Dennis Hung <Dennis.Hung@liteon.com>

Cc: Chak N Chan <Chak.N.Chan@leotek.com>; Shu Lau <shu.Lau@leotek.com>; Gary Zhang <Gary.Zhang@liteon.com>; Selwin Bui <selwin.bui@leotek.com>

Subject: RE: Stockton RMA

Hi Hy,

This order will be total 31 pallet's (a FTL + LTL) shipments. Since I am PTO today, I will work on the spot rates for FTL quotes Monday, but no guarantee it can be shipped out on the same day. Please be advised

Best Regards,

Tiffany Chou

Leotek Electronics USA/Logistics Analyst
San Jose, CA 95131/ (408) 380-1788 x 125
tiffany.chou@leotek.com

From: Hy Nguyen <Hy.Nguyen@leotek.com>

Sent: Friday, December 3, 2021 10:49 AM

To: Ethan Chu <ethan.chu@leotek.com>; Dennis Hung <Dennis.Hung@liteon.com>

Cc: Chak N Chan <Chak.N.Chan@leotek.com>; Shu Lau <shu.Lau@leotek.com>; Gary Zhang <Gary.Zhang@liteon.com>; Tiffany Chou <Tiffany.Chou@leotek.com>; Selwin Bui <selwin.bui@leotek.com>

Subject: RE: Stockton RMA

Hi Gary,

Can A Shu help this shipment when Anien is off? We already inform the city of Stockton that this RMA will be shipping out on 12/6 so the city already arrange their team to intercept it and move it to the warehouse.

Thank you.

Best Regards,

From: Ethan Chu <ethan.chu@leotek.com>

Sent: Friday, December 3, 2021 10:10 AM

To: Dennis Hung <Dennis.Hung@liteon.com>; Hy Nguyen <Hy.Nguyen@leotek.com>

Cc: Chak N Chan <Chak.N.Chan@leotek.com>; Shu Lau <shu.Lau@leotek.com>; Gary Zhang <Gary.Zhang@liteon.com>; Tiffany Chou <Tiffany.Chou@leotek.com>; Selwin Bui <selwin.bui@leotek.com>

Subject: RE: Stockton RMA

Hi Dennis & Hy,

This order will be completed from SKD on 12/6, since Anin will take off on 12/6, so we prefer arrange to ship it out on 12/7.

If we want to ship it out on 12/6, we suggest that all departments work together to complete. Thank you.

Thanks,

Ethan

From: Dennis Hung

Sent: Thursday, December 2, 2021 5:38 PM

To: Hy Nguyen <Hy.Nguyen@leotek.com>; Tiffany Chou <Tiffany.Chou@leotek.com>; Ethan Chu <ethan.chu@leotek.com>; Selwin Bui <selwin.bui@leotek.com>

Cc: Chak N Chan <Chak.N.Chan@leotek.com>

Subject: RE: Stockton RMA

Hi Ethan,

Please help us let shipment ship on 12/6.

Many thanks,

Dennis

From: Hy Nguyen <Hy.Nguyen@leotek.com>

Sent: Friday, December 3, 2021 8:08 AM

To: Tiffany Chou <Tiffany.Chou@leotek.com>; Dennis Hung <Dennis.Hung@liteon.com>;
Ethan Chu <ethan.chu@leotek.com>; Selwin Bui <selwin.bui@leotek.com>

Cc: Chak N Chan <Chak.N.Chan@leotek.com>

Subject: RE: Stockton RMA

Hello Ethan,

I don't know where the communication is broken but I need everyone on the same page. When Tiffany told me the order is ready and provide her DN, I assume that everything is packed up and ready to go. Hence, I would communicate with the customer and tell them that we would ship on xyz day. For this case, I can NOT come back to tell them that we would ship on Tuesday instead of Monday. Please make it happen.

Best Regards,

From: Hy Nguyen

Sent: Thursday, December 2, 2021 3:49 PM

To: Tiffany Chou <Tiffany.Chou@leotek.com>

Cc: Chak N Chan <Chak.N.Chan@leotek.com>

Subject: Stockton RMA

Hi Tiffany,

DN 4113038851. City of Stockton wants us to ship out on Monday. Please provide ETA when the shipment reaches to their warehouse so Thinh can arrange forklift team to move these to their warehouse.

Thank you.

Best Regards,

From: Tiffany Chou <Tiffany.Chou@leotek.com>

Sent: Wednesday, December 1, 2021 1:40 PM

To: Hy Nguyen <Hy.Nguyen@leotek.com>

Cc: Chak N Chan <Chak.N.Chan@leotek.com>

Subject: RE: Office-CanonD1320

Hi Hy,

Order is ready, please issue DN.

Best Regards,

Tiffany Chou

Leotek Electronics USA/Logistics Analyst

San Jose, CA 95131/ (408) 380-1788 x 125

tiffany.chou@leotek.com

From: do_not_reply@leotek.com <do_not_reply@leotek.com>

Sent: Wednesday, December 1, 2021 2:30 PM

To: Tiffany Chou <Tiffany.Chou@leotek.com>

Subject: Office-CanonD1320

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

From: [Thor Scordelis](#)
To: [Thinh Phan](#)
Subject: Automatic reply: Leotek GCJ1 not listen on PGE DLC v5.1
Date: Friday, July 22, 2022 3:28:53 PM

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

I am out of the office on PTO, returning Monday. For urgent items, please phone me at 408 398 1447.

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

From: [Thor Scordelis](#)
To: [Thinh Phan](#)
Cc: [James Wong](#)
Subject: RE: Leotek GCJ1 not listen on PGE DLC v5.1
Date: Wednesday, August 31, 2022 11:33:43 AM

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Thanks.

Your product is a "H" series, which is a relatively old product and which is not planned to be relisted. Most all our business is now "J" series. With regards to DLC, all our focus is on relisting J series.

Here are the options:

1. Check with PG&E and see if they recognize DLC 5.0, which was the relevant standard when the product was launched. Note 5.0 and 5.1 are essentially the same. We hear several utilities are accepting 5.0 because of the backlog at DLC.
2. Could you update your spec to the equivalent "J" series? I can help cross over if this option works.

Feel free to phone me to discuss. The costs to us to relist is substantial, so the older products are a challenge.

Thor
(408) 398 1447

From: Thinh Phan <Thinh.Phan@stocktonca.gov>
Sent: Wednesday, August 31, 2022 11:20 AM
To: Thor Scordelis <Thor.Scordelis@leotek.com>
Cc: James Wong <James.Wong@stocktonca.gov>
Subject: RE: Leotek GCJ1 not listen on PGE DLC v5.1

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Hi Thor,

The catalog number is **GCJ1-20H-MV-NW-2R-GY-700-PCR7-WL-BBL**.

Let me know if you need anything else.

Thanks,

Thinh Phan
City of Stockton Public Works

Operation & Maintenance
Office : (209) 937-8885
Cell : (209) 298-9350

From: Thor Scordelis <Thor.Scordelis@leotek.com>
Sent: Monday, August 29, 2022 12:35 PM
To: Thinh Phan <Thinh.Phan@stocktonca.gov>
Cc: James Wong <James.Wong@stocktonca.gov>
Subject: RE: Leotek GCJ1 not listen on PGE DLC v5.1

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Send me the specific catalog number and I will check.

There is still a big backlog at DLC

From: Thinh Phan <Thinh.Phan@stocktonca.gov>
Sent: Monday, August 29, 2022 10:11 AM
To: Thor Scordelis <Thor.Scordelis@leotek.com>
Cc: James Wong <James.Wong@stocktonca.gov>
Subject: RE: Leotek GCJ1 not listen on PGE DLC v5.1

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Good morning Thor,

I'm following up on the status of re-listing the GCJ1 fixture to the new 5.1.

Thanks,

Thinh Phan
City of Stockton Public Works
Operation & Maintenance
Office : (209) 937-8885
Cell : (209) 298-9350

From: Thinh Phan
Sent: Tuesday, August 2, 2022 7:18 AM
To: Thor Scordelis <Thor.Scordelis@leotek.com>
Cc: James Wong <James.Wong@stocktonca.gov>
Subject: RE: Leotek GCJ1 not listen on PGE DLC v5.1

Hi Thor,

Thank you for the update. Please let me know once the fixture is approved for DLC 5.1.

Thanks,

Thinh Phan
City of Stockton Public Works
Operation & Maintenance
Office : (209) 937-8885
Cell : (209) 298-9350

From: Thor Scordelis <Thor.Scordelis@leotek.com>
Sent: Sunday, July 31, 2022 4:15 PM
To: Thinh Phan <Thinh.Phan@stocktonca.gov>
Cc: James Wong <James.Wong@stocktonca.gov>
Subject: RE: Leotek GCJ1 not listen on PGE DLC v5.1

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

We have to resubmit that product for re-listing to the new 5.1*. This will require an update to an existing test (color rendering related) and will take a few weeks to obtain the test and get DLC to approve. We are targeting late August due to a backlog at DLC.

Thanks for your patience.

*5.1 is similar to 5.0, but there are a couple of color quality related additions (which we comply with)

From: Thor Scordelis
Sent: Monday, July 25, 2022 11:45 AM
To: Thinh Phan <Thinh.Phan@stocktonca.gov>
Cc: James Wong <James.Wong@stocktonca.gov>
Subject: RE: Leotek GCJ1 not listen on PGE DLC v5.1

Hello Thinh, let me investigate.

From: Thinh Phan <Thinh.Phan@stocktonca.gov>
Sent: Friday, July 22, 2022 3:28 PM
To: Thor Scordelis <Thor.Scordelis@leotek.com>
Cc: James Wong <James.Wong@stocktonca.gov>
Subject: Leotek GCJ1 not listen on PGE DLC v5.1

This message was sent from outside of the company. Please do not click links or open attachments unless you recognize the source of this email and know the content is safe.

Good afternoon Thor,

I hope you are doing well.

The City of Stockton is in the process of converting 2,200 HPS fixtures to Leotek GCJ1. However, we just found out recently from PG&E that the GCJ1 fixture is not on the revised DLC v5.1 as of July 1 for the PG&E incentive.

We chose Leotek GCJ1 fixture due to the PG&E incentive and excellent working relationship. Therefore, we request that the fixture be added to the DLC v5.1.

Let me know if you have any questions.

Thanks,

Thinh Phan
City of Stockton Public Works
Operation & Maintenance
Office : (209) 937-8885
Cell : (209) 298-9350

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.

From: [Thor Scordelis](#)
To: [Thinh Phan](#)
Cc: patrickrobotaille@alrinc.com; [Joseph Mansfield](#); [Hy Nguyen](#)
Subject: City of Stockton LEOTEK EC Replacement Project: Completion
Date: Friday, February 3, 2023 7:51:17 AM

CAUTION: This email originated from outside the City of Stockton. Do not click any links or open attachments if this is unsolicited email.

Hello Thinh;

Thank you for your support on the EC replacement project. My understanding is that the project is now complete. Unless there are any outstanding items, please formalize the completion with a letter to us stating that the project is complete.

If you have any questions, please feel free to contact me.

Thor Scordelis
General Manager
Leotek Electronics USA LLC
1955 Lundy Ave.
San Jose, CA 95131
(408) 398 1447
Thor.scordelis@leotek.com

Confidential Information: This message is sent to the intended recipient and may contain privileged or confidential information. If you received this transmission in error, please notify the sender with a replying e-mail and delete the message and any attachment. **Transmission Caveat and Virus Alert:** Internet communications cannot be guaranteed to be timely, secure, error or virus-free. The sender does not accept liability for any errors or omissions.